


TRANSPARENT LEXAN™ (PC) SOLID SHEET SOLUTIONS

FOR HYGENIC PROTECTIVE SCREENS



SABIC's Functional Forms business has been working to bring its portfolio of leading edge materials to bear in glazing applications for over 40 years. Virtually unbreakable, high optical quality solid LEXAN™ (PC) sheet products with highly specialized properties are often a top choice for answering the specific needs and providing protection to your most demanding applications. As companies are looking for protection materials connecting to healthcare, retail and food service areas, and others, our portfolio can offer a solution connecting to that.



EXCELLENT OPTICAL CLARITY
Transparency up to 87-90%



HIGH IMPACT STRENGTH
Virtually unbreakable and resistant to abrasion



EASY TO CLEAN AND DISINFECT
withstands repeated cleaning with common hospital cleaning agents



FLAME RETARDANT
Excellent fire performance



COLD LINE BENDING
The sheet can be cold-bended by a hydraulic press bending equipment to achieve high stiffness



FORMABILITY
Cold curving and enables design freedom



EASY TO INSTALL
ease of handling and installation



LIGHTWEIGHT
Outstanding lightweight advantages against glass

PRODUCT OFFERING

| Grade | Description | Solution for |
|--------------------------|---|---|
| LEXAN™ 9030 Sheet | High impact strength, Excellent light transmission, High/low temperature resistance, Thermoformable and decorative finishes possible | Aerosols (Intubation boxes), Sneeze Guards, Screen Barriers, Protective Screens |
| LEXAN™ EXELL™-D Sheet | High impact strength, Excellent light transmission, Easy to install in most applications, thermoformable and both sides UV protected | Aerosols (Intubation boxes) Sneeze Guards, Screen Barriers, Protective Screens |
| LEXAN™ EXELL™-D ST Sheet | Textured polycarbonate sheet, excellent light diffusion without transparency, high impact strength, ease of handling and installation and both sides UV protected | Separation Walls, Screen Barriers |

CHEMICAL RESISTANCE

LEXAN™ solid sheet products have a high resistance to most moderate chemicals. For a complete list of compatible cleaners, please contact your SABIC representative.

CLEANING

Gently wash the sheet with a solution of mild soap and lukewarm water, using a soft, grid-free cloth or sponge to loosen any dirt or grime.



CONTACT US

Europe
 SABIC
 Functional Forms
 Plasticslaan 1
 4612 PX Bergen op Zoom
 The Netherlands
 T +31 (0)164 293684
 F +31 (0)164 292272
 E ff.info@sabic.com

THE MATERIALS, PRODUCTS AND SERVICES OF SABIC INNOVATIVE PLASTICS HOLDING BV, ITS SUBSIDIARIES AND AFFILIATES (“SELLER”), ARE SOLD SUBJECT TO SELLER’S STANDARD CONDITIONS OF SALE, WHICH CAN BE FOUND AT <http://www.sabic.com> AND ARE AVAILABLE UPON REQUEST. ALTHOUGH ANY INFORMATION OR RECOMMENDATION CONTAINED HEREIN IS GIVEN IN GOOD FAITH, SELLER MAKES NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING SELLER’S PRODUCTS, SERVICES OR RECOMMENDATIONS. EXCEPT AS PROVIDED IN SELLER’S STANDARD CONDITIONS OF SALE, SELLER SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS PRODUCTS OR SERVICES DESCRIBED HEREIN. Each user is responsible for making its own determination as to the suitability of Seller’s products, services or recommendations for the user’s particular use through appropriate end-use testing and analysis. Nothing in any document or oral statement shall be deemed to alter or waive any provision of Seller’s Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by Seller. No statement by Seller concerning a possible use of any product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Seller or as a recommendation for the use of such product, service or design in a manner that infringes any patent or other intellectual property right.

SABIC and brands marked with ™ are trademarks of SABIC or affiliates.

© Copyright 2020. All rights reserved.




TRANSPARENT LEXAN™ (PC) SOLID SHEET SOLUTIONS

FOR HYGENIC PROTECTIVE SCREENS



SABIC's Functional Forms business has been working to bring its portfolio of leading edge materials to bear in glazing applications for over 40 years. Virtually unbreakable, high optical quality solid LEXAN™ (PC) sheet products with highly specialized properties are often a top choice for answering the specific needs and providing protection to your most demanding applications. As companies are looking for protection materials connecting to healthcare, retail and food service areas, and others, our portfolio can offer a solution connecting to that.



EXCELLENT OPTICAL CLARITY
Transparency up to 87-90%



HIGH IMPACT STRENGTH
Virtually unbreakable and resistant to abrasion



EASY TO CLEAN AND DISINFECT
withstands repeated cleaning with common hospital cleaning agents



FLAME RETARDANT
Excellent fire performance



COLD LINE BENDING
The sheet can be cold-bended by a hydraulic press bending equipment to achieve high stiffness



FORMABILITY
Cold curving and enables design freedom



EASY TO INSTALL
ease of handling and installation



LIGHTWEIGHT
Outstanding lightweight advantages against glass

PRODUCT OFFERING

| Grade | Description | Solution for |
|----------------------------|---|---|
| LEXAN™ 9030P Sheet | High impact strength, Excellent light transmission, High/low temperature resistance, Thermoformable and decorative finishes possible | Aerosols (Intubation boxes), Sneeze Guards, Screen Barriers, Protective Screens |
| LEXAN™ EXELL™DP Sheet | High impact strength, Excellent light transmission, Easy to install in most applications, thermoformable and both sides UV protected | Aerosols (Intubation boxes) Sneeze Guards, Screen Barriers, Protective Screens |
| LEXAN™ EXELL™D STP Sheet | Textured polycarbonate sheet, excellent light diffusion without transparency, high impact strength, ease of handling and installation and both sides UV protected | Separation Walls, Screen Barriers |
| LEXAN™ MARGARD™ MR5E Sheet | Extremely high impact strength due to dual hard coated surface, UV and mar resistant, high resistant to chemical, a unique ten (10) year warranty against breakage. | Aerosols (Intubation boxes) Sneeze Guards, Screen Barriers, Protective Screens |

CHEMICAL RESISTANCE

LEXAN™ solid sheet products have a high resistance to most moderate chemicals. For a complete list of compatible cleaners, please contact your SABIC representative.

CLEANING

Gently wash the sheet with a solution of mild soap and lukewarm water, using a soft, grid-free cloth or sponge to loosen any dirt or grime.



CONTACT US

SABIC - INDIA OFFICES

10th Floor, Ambiance Corporate Towers II,
Ambiance Island
Gurugram – 122001, Haryana
Mr. Anshu Goel
M 9971469444
E anshu.goel@sabic.com
T (0124) 4746100

Mumbai & Bengaluru

Mr. Raghu Kannan
M 9986022591
E k.raghu2@sabic.com
T (022) 42481800
T (80) 67725000

Chennai

Mr. Rajesh Maheshwaram
M 917664443
E rajesh.maheshwaram@sabic.com
T (044) 4902 5600 / 06

SABIC - AUSTRALIA OFFICE

Suite 2, Level 4,
1C Grand Avenue
Rosehill, NSW 2142
Australia
T: +61 2 9684 2184
F: +61 9684 5927

Contact

Mr. Tony Bragg
M: +61 403 446 069
E: tony.bragg@sabic.com

SABIC - SINGAPORE OFFICE

23 Benoi Road
Singapore 629895
T: +65-652104296
F: +65-652104165

Contact

Mr. Tan Kam Siong
M: +65-98387726
E: ks.tan@sabic.com

SABIC - MALAYASIA OFFICE

Suite 3B-11-3, Level 11, Block 3B,
Plaza Sentral, Jalan Stesen Sentral 5, KL Sentral
50470 Kuala Lumpur Malaysia
T: + 603 2274 6198
F: + 603 2273 3487

Contact

Mr. Jerry Ng
M: + 6012 639 1701
E: jerry.ng@sabic.com



THE MATERIALS, PRODUCTS AND SERVICES OF SABIC INNOVATIVE PLASTICS HOLDING BV, ITS SUBSIDIARIES AND AFFILIATES (“SELLER”), ARE SOLD SUBJECT TO SELLER’S STANDARD CONDITIONS OF SALE, WHICH CAN BE FOUND AT <http://www.sabic.com> AND ARE AVAILABLE UPON REQUEST. ALTHOUGH ANY INFORMATION OR RECOMMENDATION CONTAINED HEREIN IS GIVEN IN GOOD FAITH, SELLER MAKES NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING SELLER’S PRODUCTS, SERVICES OR RECOMMENDATIONS. EXCEPT AS PROVIDED IN SELLER’S STANDARD CONDITIONS OF SALE, SELLER SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS PRODUCTS OR SERVICES DESCRIBED HEREIN. Each user is responsible for making its own determination as to the suitability of Seller’s products, services or recommendations for the user’s particular use through appropriate end-use testing and analysis. Nothing in any document or oral statement shall be deemed to alter or waive any provision of Seller’s Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by Seller. No statement by Seller concerning a possible use of any product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Seller or as a recommendation for the use of such product, service or design in a manner that infringes any patent or other intellectual property right.

SABIC and brands marked with ™ are trademarks of SABIC or affiliates.


© Copyright 2020. All rights reserved.

TRANSPARENT LEXAN™ (PC) SOLID SHEET SOLUTIONS

FOR HYGENIC PROTECTIVE SCREENS



SABIC's Functional Forms business has been working to bring its portfolio of leading edge materials to bear in glazing applications for over 40 years. Virtually unbreakable, high optical quality solid LEXAN™ (PC) sheet products with highly specialized properties are often a top choice for answering the specific needs and providing protection to your most demanding applications. As companies are looking for protection materials connecting to healthcare, retail and food service areas, and others, our portfolio can offer a solution connecting to that.



EXCELLENT OPTICAL CLARITY
Transparency up to 87-90%



HIGH IMPACT STRENGTH
Virtually unbreakable and resistant to abrasion



EASY TO CLEAN AND DISINFECT
withstands repeated cleaning with common hospital cleaning agents



FLAME RETARDANT
Excellent fire performance



COLD LINE BENDING
The sheet can be cold-bended by a hydraulic press bending equipment to achieve high stiffness



FORMABILITY
Cold curving and enables design freedom



EASY TO INSTALL
ease of handling and installation



LIGHTWEIGHT
Outstanding lightweight advantages against glass

PRODUCT OFFERING

| Grade | Description | Solution for |
|----------------------------------|--|--|
| LEXAN™ XL102UV Sheet | High impact strength. Excellent Light Transmission. Easy to install, thermoformable and both sides UV protected. UL f1 rating. | Sneeze Guards, Screen Barriers, Intubation boxes |
| LEXAN™ SGC308 Sheet | Textured Polycarbonate Sheet. Excellent light diffusion without transparency, high impact strength ease of handling and installation. Both sides UV protected. | Separation Walls, Screen Barriers |
| LEXAN™ 9034 Sheet | Cost efficient polycarbonate sheet, combines high impact and temperature resistance with optical clarity. UV stabilized. UL f1 rating. | In-Store Employee Protection, Machine guards, Safety / Medical Shields, Intubation boxes |
| LEXAN™ 9444 Sheet (FDA approved) | Complies with FDA regulations, combines high impact and temperature resistance with optical clarity | Sterile applications |

CHEMICAL RESISTANCE

LEXAN™ solid sheet products have a high resistance to most moderate chemicals. For a complete list of compatible cleaners, please contact your SABIC representative.

CLEANING

Gently wash the sheet with a solution of mild soap and lukewarm water, using a soft, grid-free cloth or sponge to loosen any dirt or grime.



CONTACT US

Americas
 SABIC
 Functional Forms
 2500 City West Boulevard
 Suite 100
 Houston, TX 77042
 USA
 T +1 800 323 3783
 F +1 888 443 2033
 E spinside.sales@sabic.com

THE MATERIALS, PRODUCTS AND SERVICES OF SABIC INNOVATIVE PLASTICS HOLDING BV, ITS SUBSIDIARIES AND AFFILIATES ("SELLER"), ARE SOLD SUBJECT TO SELLER'S STANDARD CONDITIONS OF SALE, WHICH CAN BE FOUND AT <http://www.sabic.com> AND ARE AVAILABLE UPON REQUEST. ALTHOUGH ANY INFORMATION OR RECOMMENDATION CONTAINED HEREIN IS GIVEN IN GOOD FAITH, SELLER MAKES NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING SELLER'S PRODUCTS, SERVICES OR RECOMMENDATIONS. EXCEPT AS PROVIDED IN SELLER'S STANDARD CONDITIONS OF SALE, SELLER SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS PRODUCTS OR SERVICES DESCRIBED HEREIN. Each user is responsible for making its own determination as to the suitability of Seller's products, services or recommendations for the user's particular use through appropriate end-use testing and analysis. Nothing in any document or oral statement shall be deemed to alter or waive any provision of Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by Seller. No statement by Seller concerning a possible use of any product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Seller or as a recommendation for the use of such product, service or design in a manner that infringes any patent or other intellectual property right.

SABIC and brands marked with ™ are trademarks of SABIC or affiliates.

© Copyright 2020. All rights reserved.

