

SABIC® PMMA

POLYMETHYL METHACRYLATE (PMMA) is an amorphous thermoplastic commonly referred to as acrylic. SABIC® PMMA can be used for applications that require high transparency, performance and weight reduction, substituting glass in many applications.

KEY PRODUCT PROPERTIES



HIGH TRANSPARENCY
Light Transmission
(Up to 92%)



EXCELLENT SCRATCH RESISTANCE
High Surface Hardness



GOOD CHEMICAL RESISTANCE
Resistance to many chemicals for sanitary and medical applications



EASE OF PROCESSING
Can be easily injection molded or extruded



EXCELLENT WEATHERABILITY
Good resistance to UV and weathering



HIGH GLOSS & COLORABILITY
Various colors and opaque



LIGHTWEIGHT
50% Less weight than glass



GOOD IMPACT RESISTANCE
10 X impact strength vs. glass



KEY APPLICATIONS

AUTOMOTIVE PARTS

- Instrument panels
- Tail light
- Reflectors

LIGHTING

- LED lenses
- Streetlight cover
- Signage

HOUSEWARE


- Dinnerware
- Furniture

DISPLAYS

- Light guide plate
- Screens
- TVs

SHEET

- Residential and agricultural roofing
- Decoration
- Luxury sanitary ware



SABIC® PMMA PORTFOLIO

SABIC Grade	Melt Index (g/10 min) *	Density (g/cm ³)	Characteristics
PMMA 17OP	1.7	1.19	An optical LGP extrusion grade characterized by low foreign matter count and low UV absorbance.
PMMA 20HR	2	1.19	A heat resistance grade, characterized by high temperature of deflection under load ($\geq 98^{\circ}\text{C}$) and high Vicat softening temp ($\geq 105^{\circ}\text{C}$). This standard PMMA grade is suitable for both extrusion and injection molding processes.
PMMA 23SP	2.3	1.19	A special extrusion grade offering a balance of melt flow rate and temperature of deflection under load, making it ideal for extrusion processing with superior UV resistance.
PMMA 60MS	6.0	1.19	Special medium flow grade offering optimum melt strength and flow for injection molding/extrusion process with better weathering resistance and ease of processing. This grade is mainly suitable for thick articles.
PMMA 140HF	14	1.19	An easy flowing grade for injection molding with high flow ($\text{MI} \geq 10$) offering excellent moldability with fast cycle times.

*Please refer to safety data sheet (SDS) separately for information on EHS general guidelines and precautions during handling and storage of SABIC® PMMA on www.sabic.com



CONTACT US

Middle East and Africa

Global Headquarters

PO Box 5101
Riyadh 11422
Saudi Arabia
T +966 (011) 225 8000
F +966 (011) 225 9000
E info@sabic.com

Americas

2500 City West Boulevard
Suite 650, Houston
TX 77042
USA
T +1 713 532 4999
F +1 713 532 4994
E info@americas.sabic.com

Europe

PO Box 5151
6130 PD Sittard
The Netherlands
T +31 467 222 222
F +31 467 220 000
E info@sabic.com

Asia Pacific

One Temasek Avenue
06-01 Millenia Tower
Singapore 039192
T +65 655 725 55
F +65 653 181 01
E info@sabic.com.sg

DISCLAIMER: THE MATERIALS, PRODUCTS AND SERVICES OF SAUDI BASIC INDUSTRIES CORPORATION (SABIC) OR ITS SUBSIDIARIES OR AFFILIATES ("SELLER") ARE SOLD SUBJECT TO SELLER'S STANDARD CONDITIONS OF SALE, WHICH ARE AVAILABLE UPON REQUEST. INFORMATION AND RECOMMENDATIONS CONTAINED IN THIS DOCUMENT ARE GIVEN IN GOOD FAITH. HOWEVER, SELLER MAKES NO EXPRESS OR IMPLIED REPRESENTATION, WARRANTY OR GUARANTEE (i) THAT ANY RESULTS DESCRIBED IN THIS DOCUMENT WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN OR APPLICATION INCORPORATING SELLER'S MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS. UNLESS OTHERWISE PROVIDED IN SELLER'S STANDARD CONDITIONS OF SALE, SELLER SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS DESCRIBED IN THIS DOCUMENT. Each user is responsible for making its own determination as to the suitability of Seller's materials, products, services or recommendations for the user's particular use through appropriate end-use and other testing and analysis. Nothing in any document or oral statement shall be deemed to alter or waive any provision of Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by Seller. Statements by Seller concerning a possible use of any material, product, service or design do not, are not intended to, and should not be construed to grant any license under any patent or other intellectual property right of Seller or as a recommendation for the use of any material, product, service or design in a manner that infringes any patent or other intellectual property right. SABIC and brands marked with ™ are trademarks of SABIC or its subsidiaries or affiliates.

† Any brands, products or services of other companies referenced in this document are the trademarks, service marks and/or trade names of their respective holders.

© 2021 Copyright by SABIC. All rights reserved.